

شكراً لتحميلك هذا الملف من موقع المناهج الإماراتية



أوراق عمل مراجعة الوحدة السابعة متبوعة بالإجابات

موقع المناهج ⇨ المناهج الإماراتية ⇨ الصف الحادي عشر ⇨ علوم صحية ⇨ الفصل الثاني ⇨ الملف

التواصل الاجتماعي بحسب الصف الحادي عشر

[الرياضيات](#)

[اللغة الانجليزية](#)

[اللغة العربية](#)

[التربية الاسلامية](#)

روابط مواد الصف الحادي عشر على تلغرام

المزيد من الملفات بحسب الصف الحادي عشر والمادة علوم صحية في الفصل الثاني

[حل مذكرة نهائية شاملة](#)

1

[مراجعة سؤال وحواب](#)

2

[مراجعة شاملة نهائية](#)

3

[حل أسئلة الامتحان النهائي - العام](#)

4

[نموذج الهيكل الوزاري - المتقدم](#)

5

**Term (2) – 2021/2022****Teacher: Arwa Abdelmoneim****Revision Unit 7 – G11****Health Sciences**

1.

Name one of the vital signs.

2.

CPR is made up of two parts, what are they?

3.

What is the normal respiration rate for a healthy adult?

4.

Which vital sign can be measured by pressing the first and second fingertips on a person's arteries and counting for 60 seconds?

5.

When using an AED, you should use adult pads on anyone older than 8 years.

(A) True

(B) False

6.

It is safe to use an AED on babies younger than one year old.

(A) True

(B) False

7.

What is the normal pulse rate for a healthy adult?

(A) 12-20 breaths per minute

(B) 60-100 beats per minute

(C) 120/80mmHg

(D) 36.5 - 37.2°C

8.	Which of the following statements is true about heart failure?	
	(A)	Heart failure is caused by an electrical problem
	(B)	Heart failure happens when blood flow is stopped because of a build-up of plaque in the arteries
	(C)	Heart failure is the most common cause of cardiac arrest
	(D)	Heart failure happens when the muscles of the heart weaken and ventricles become too weak to pump blood around the body

9.	In CPR, what are two rescuer compressions?	
	(A)	Two people take turns giving compressions to an individual, changing every two minutes
	(B)	Two people give compressions to the same person at the same time
	(C)	Two people give compressions at the same time to different people
	(D)	Using two hands to provide CPR

10.	In which of the following cases is CPR not needed?	
	(A)	The casualty is unresponsive and breathing normally
	(B)	The casualty is unresponsive and gasping for air
	(C)	The casualty is unresponsive and not breathing normally
	(D)	All of the above

11.	When providing compressions to an adult during CPR, push directly down on the centre of their chest at least _____.	
	(A)	10 Cm
	(B)	2 Cm
	(C)	5 Cm
	(D)	15 Cm

12.	Where should you place each of your hands when opening the airway of a casualty?	
	(A)	Both hands on the soft part of the chin
	(B)	Both hands on the solid part of the forehead
	(C)	One hand on the forehead and the fingers of the other hand on the soft part of the chin
	(D)	One hand on the forehead and the fingers of the other hand on the solid part of the chin

13.	How do you check for response in a baby?	
	(A)	Shake the baby
	(B)	Call the baby's name
	(C)	Tap the baby's shoulder
	(D)	Tap the baby's foot

14.	Which of the following is an electronic device?	
	(A)	AED
	(B)	CPR
	(C)	Pocket mask
(D)	Compression	

15.	What is the first step to take at the scene of an emergency?	
	(A)	Check for a response
	(B)	Open the airway of the casualty
	(C)	Leave the scene immediately
(D)	Make sure the scene is safe to enter	

16.	What is the sequence of compressions to breaths in adult CPR?	
	(A)	30 compressions followed by 2 breaths
	(B)	2 compressions followed by 30 breaths
	(C)	15 compressions followed by 5 breaths
(D)	10 compressions followed by 2 breaths	

17.	A person with high blood pressure (higher than 140/90mmHg) is known to have _____.	
	(A)	cardiac arrest
	(B)	hypertension
	(C)	heart failure
(D)	heart attack	

18.	If a baby is unresponsive and not breathing, you need to _____.	
	(A)	Wait for the baby to wake up
	(B)	Use an AED
	(C)	Put the baby in the recovery position
(D)	Provide CPR	

19.	Which of the following casualties is responsive?	
	(A)	The person blinks when you tap their shoulder
	(B)	The person moves their arm when you tap their shoulder
	(C)	The person talks when you tap their shoulder
(D)	All of the above	

Answers Key

1	One of the following: <ul style="list-style-type: none">• Blood pressure• Temperature• Pulse• Respiration
2	<ul style="list-style-type: none">• Compressions• breaths
3	12-20 breaths per minute
4	Pulse rete
5	A – True
6	B – False
7	B – 60-100 beats per minute
8	D - Heart failure happens when the muscles of the heart weaken and ventricles become too weak to pump blood around the body
9	A - Two people take turns giving compressions to an individual, changing every two minutes A - Two people take turns giving compressions to an individual, changing every two minutes
10	A - The casualty is unresponsive and breathing normally
11	C – 5cm
12	D - One hand on the forehead and the fingers of the other hand on the solid part of the chin
13	D – Tap the baby’s foot
14	A – AED
15	D – Make sure the scene is safe to enter
16	A – 30 compressions followed by 2 breaths
17	B – hypertension
18	D – provide CPR
19	D – All of the above

Believe in yourself, stay strong, do the impossible

رؤية المدرسة: شخصية قيادية مبدعة لجيل واعى يسمو لتطوير ذاته ووطنه وأمته
رسالة المدرسة: مدرسة براعم العين الخاصة تهدف إلى تعليم متميز لإعداد جيل واع يستفيد من قدراته ويواجه تحديات العصر طبقاً للمنظومة التربوية والتعليمية
بدولة الإمارات العربية المتحدة