# تم تحميل هذا الملف من موقع المناهج الإماراتية





# أوراق عمل الوحدة الثالثة Current Electric التيار الكهربائي

موقع المناهج ← المناهج الإماراتية ← الصف الثاني عشر العام ← فيزياء ← الفصل الأول ← أوراق عمل ← الملف

تاريخ إضافة الملف على موقع المناهج: 17-10-2024 09:26:14

ملفات اكتب للمعلم اكتب للطالب ا اختبارات الكترونية ا اختبارات ا حلول ا عروض بوربوينت ا أوراق عمل منهج انجليزي ا ملخصات وتقارير ا مذكرات وبنوك ا الامتحان النهائي ا للمدرس

المزيد من مادة فيزياء:

إعداد: عبد الرحمن عصام

# التواصل الاجتماعي بحسب الصف الثاني عشر العام











صفحة المناهج الإماراتية على فيسببوك

الرياضيات

اللغة الانجليزية

اللغة العربية

التربية الاسلامية

المواد على تلغرام

# المزيد من الملفات بحسب الصف الثاني عشر العام والمادة فيزياء في الفصل الأول

ـ من الملقات بحسب الصف الثالي عشر العام والمادة فيرياء في القصل الأول		
أسئلة الامتحان الوزاري القسم الكتابي الورقي		
اختبار تجريبي في الوحدة الثانية المجالات الكهربائية		
ملخص الوحدات الخامسة والسادسة والسابعة نظام المقررات		
ملخص و تدريبات الوحدة الثانية Field Electric باللغة الانجليزية		
ملخص و تدريبات الوحدة الثانية المجالات الكهربائية		

اسم الطالب: .....

# EINS TIN In Physics

قديما كانت تمثل الفيزياء رعبا للطالب أما الأن اسلوب جديد لعرض الفيزياء بعيدا عن التعقيد

WUNIT 3

اللهم أنى استودعتك مستقبلا لا اعلم خفاياه ولكني اعلم أنك خير مدبر وخير من اودعت له الوداع اجعل القادم أجمل مما مضي يارب العالمين

- 1-Current and Circuits
- 2-Using electrical energy
- EXAM UNIT 3

اينشتاين في الفيزياء

**Current and Circuits** 

2025

# Current and Circuits

**Producing Electric Current:** An electric current is a flow of charge (In metals, current is the movement of negative charge, i.e. electrons)

In **Figure**, two conductors, A and B, are connected by a wire conductor, C. charges flow from the higher potential difference of B to A through C. This flow of positive charge is called **conventional current**.

When two conducting spheres touch, charges flow from the sphere at higher potential to the one at a lower potential. The flow continues until there is no potential difference between the two spheres.

Potential Difference Goes to 0

Potential Difference > 0



- Positive charges flow from the higher potential at B through the conductive wire C to A, which has a lower potential than B.
- When the potential difference between B and A is zero, the flow stops.
- The flow continues in the diagram on the right because a charge pump maintains the potential difference between conductors A and B.


#### Electric current

- ightharpoonup The rate of flow of electric charge, i = q/t called electric current, is measured in coulombs per second.
- ➤ A flow of electric charge equal to one coulomb per second is called an ampere(A)
- ► It is represented by I.
- ➤ The unit of current is Ampere (A)
- ► It is a <mark>scalar quantit</mark>y.
- ightharpoonup It is given by the relation I = q/t Where:

I = Current(A)

$$q = charge (IC = A.s)$$
  $q = I.t$ 

T=time (sec)



Conventional current is the direction in which a positive charge moves.


The flow of electrons and the direction of conventional current are in opposite directions.

A battery: cell (a common dry cell), transforms chemical energy to electrical energy. Several galvanic cells connected together.

Electrical energy may be stored in a battery.



#### COMPARING WATER FLOW AND CURRENT



#### In Generator

- ❖ The gravitational potential energy of the water is transformed into kinetic energy, then to electrical energy and thermal energy.
- **Energy transformations are not 100 percent efficient.** Loss energy in Thermal energy is produced by the splashing water, friction, and electric resistance.
- **The Generator** transformed into kinetic energy, then to electrical energy
- ❖ The **motor** transforms electrical energy to kinetic energy

**Conservation of charge** Charges cannot be created or destroyed, but they can be separated. Thus, the total amount of charge the number of negative electrons and positive ions in the circuit does not change.

If one coulomb flows through the generator in 1 s, then one coulomb also will flow through the motor in 1 s. Thus, charge is a conserved quantity. Energy also is conserved.

The change in electrical energy ( $\Delta E$ ) =  $q\Delta V$ . Because q is conserved, the net change in potential energy of the charges going completely around the circuit must be zero. Because The increase in potential difference produced by the generator equals the decrease in potential difference across the motor.



#### POWER: P

It is the rate at which energy is transferred or transformed.

If a generator transfers 1J of kinetic energy to electrical energy each second

$$P = \frac{E}{t}$$

Where E= energy transformed,


*t*= *time duration* 


The unit of power is Watts (W): 1W = 1J/s.

Power It is equal to the current times the potential difference  $P = I\Delta V$ 

Simple circuit diagrams can be represented pictorially and schematically.

electric circuit diagrams are commonly drawn using these symbols.





#### Resistance and Ohm's Law

Resistance: The property determining how much current will flow

Resistance is measured by placing a potential difference across a conductor and dividing the voltage by the current.

The resistance, R, is defined as the ratio of electric potential difference V, to the current I.


$$I = \frac{\Delta V}{R}$$

#### Where:

R: resistance unit ohm  $\Omega$ 

V: electric potential difference unit volt V

*I:* the current unit Amper A = volt / ohms







I current unit is (A or c/s or  $V/\Omega$ )

*V* electric potential difference unit is (*V* or *A*.  $\Omega$  or *J/C* or watt/*A*)

R: resistance unit is (ohm  $\Omega$  or V/A)

#### **NOTES**

#### Current depends on electric potential difference and resistance

- **directly proportional** to the electric potential difference
- \* inversely proportional to the total resistance
- ❖ but resistance **NOT** depends on electric potential difference and Current
- \* resistance depends on length and aera and temperature
- **directly proportional** to the length and temperature
- **\*** inversely proportional to the cross-sectional area of the material.

#### Resistivity

The factor in the resistance which takes into account the nature of the material is the resistivity. It is temperature dependent.

The SI unit of electrical resistivity is the ohm meter  $(\Omega \cdot m)$ 


A resistor is a device designed to have a specific resistance.

Resistors may be made of carbon, semiconductors, or wires that are long and thin.

#### > Changing Resistance


Factor	How Resistance Changes	Example
Length	Resistance increases as length increases.	$R_{L1} > R_{L2}$
Cross-sectional area	Resistance increases as the cross-sectional area decreases.	$A_1$ $A_2$ $R_{A_1} > R_{A_2}$
Temperature	Resistance usually increases as temperature increases.	$R_{\tau_1} > R_{\tau_2}$
Material	Keeping length, cross-sectional area, and temperature constant, resistance varies with the material used.	silver, copper, gold, aluminum, iron, platinum <u>R increases</u>


Reading The ammeter is the current




#### two ways to control the current flowing through a simple circuit.

- > to decrease the current through a simple circuit.
- A. The voltage can be reduced
- B. the resistance can be increased.
- > to increase the current through a simple circuit.
- A. The voltage can be increased
- *B.* the resistance can be reduced (decrease)







voltmeter	ammeter
a <mark>voltmeter</mark> measures electric potential difference	An <b>ammeter</b> measures the current through a circuit component.
voltmeter is connected across another component; it is called a parallel connection	The same current going through the component must go through the ammeter, so there can be only one current path.
because the circuit component and the voltmeter are aligned parallel to each other in the circuit.	A connection with only one current path, called a series connection
Parallel Connection  12 V  = 12 V	Series Connection  3 Ω  4 A A
Slope of line = $\Delta I/\Delta$	

5.0

Voltage(V)-

7.5

10

Current(A) ----

0.25

16C of charge flows in a conductor for 4s, find the current flowing in a conductor.
A current of 5A flows in a circuit for 6s, A. find the amount of charge flowing through it B. How many electrons have passed through it
In a circuit current of 2A flows for 5min, find the amount of charge flowing in a circuit.
3A of current flows in a circuit for 8s, how many electrons are flowing in a circuit.
A car battery causes a current through a lamp and produces 12 V across it as shown in Figure What is the power used by the lamp?
What is the current through a 75-W lightbulb that is connected to a 125-V outlet?
The current through a lightbulb connected across the terminals of a 125-V outlet is 0.50A. At what rate does the bulb transform electrical energy (power) to light?
The current through the starter motor of a car is $210A$ . If the battery maintains $12V$ across the motor, how much electrical energy is delivered to the starter in $10.0s$ ?
A 75-V generator supplies 3.0 kW of power. How much current can the generator deliver?

10. A flashlight bulb is rated at 0.90 W. If the lightbulb produces a potential drop of 3.0 V, how much current goes through it?
11. A 6.0-V battery delivers a 0.50-A current to an electric motor connected across its terminals.
a. What power is delivered to the motor?
b. If the motor runs for 5.0 min, how much electrical energy is delivered?
Battery
12. A 30.0-V battery is connected to a 10.0- $\Omega$ resistor. What is the current in the circuit?
Ammeter
Battery Resistor
13. An automobile panel lamp with a resistance of 33 $\Omega$ is placed across the battery shown in
Figure. What is the current through the circuit?
Tigure. What is the current through the circuit:
33 Ω
14. A sensor uses $2.0 \times 10^{-4}$ A of current when it is operated by the battery shown in Figure.
What is the resistance of the sensor circuit? $2.0 \times 10^{-4} \mathrm{A}$
+
3.0 V Sensor
15. A motor with the operating resistance of 32 $\Omega$ is connected to a voltage source as shown
in Figure. What is the voltage of the source?
$\frac{1}{2}$
V   V /↑   I - I
Battery
3.8 A

16. A lamp draws a current of 0.50 A when it is connected to a 120-V source.
a. What is the resistance of the lamp?
<b>b.</b> What is the power consumption of the lamp?
17. A 75-W lamp is connected to 125 V.
a. What is the current through the lamp?
b. What is the resistance of the lamp?
7.77
18. A lamp draws a 66 mA current when connected to a 6.0 V battery.
When a 9.0 V battery is used, the lamp draws 75 mA.
A. Does the lamp obey Ohm's law?
B. How much power does the lamp use when it is connected to the 6.0 V battery?
19. A resistor is added to the lamp in the previous problem to reduce the current to
half its original value.
A. What is the potential difference across the lamp?  B. How much resistance was added to the circuit?
C. At what rate does the lamp transform electrical energy (power) into radiant and thermal energy:
20 A singuither 12 O of positiones and is composted to a 12 Whattom
20. A circuit has 12 $\Omega$ of resistance and is connected to a 12-V battery. Determine the change in power if the resistance decreases to 9.0 $\Omega$
21. Refer to the figure to answer the following questions.
a. What should the ammeter reading be?
b. What should the voltmeter reading be?
c. How much power is delivered to the resistor? $= 27\sqrt{18 \Omega}$



22. The table below shows the voltage across and the current through a material.

Voltage (V)	2.0	5.0	8.0
Current (A)	8.0	20	32

- a. Draw and label the voltage-current graph for the material
- State with a reason if the material obeys Ohm's Law

b. State with a reason if the material obeys onm's Law.						
c. Calculate the resistance of the material.						I
						Τ
						Ι
			$\perp$	$\perp$	$\perp$	1
		ΙI			- 1	1
						Ť
7234 2/// NIV						Ι
						Τ

23. The table below shows the voltage across and the current through a material.

Ø.	Voltage (V)	1.0	2.0	3.0
	Current (A)			

- a. Draw and label the voltage-current graph for the material
- b. State with a reason if the material obeys Ohm's Law.

.....

c. Calculate the resistance of the material.

24. The graph in Figure shows the current through a device What is the device resistance?



25. Draw a circuit diagram of the experimental set up that you would use to verify Ohm's Law. Your circuit should include:

- A. A device to measure the current
- B. A device to measure the voltage
- C. A device to change the current in the circuit
- D. Clearly marked direction of the conventional current
- 26. Draw a single labelled circuit diagram in the following steps:
- A. Two light bulbs, L1 and L2, connected in series to a battery.
- B. One light bulb, L3, connected in parallel across L1.
- C. An ammeter that measures the current through L2.
- D. A voltmeter that measures the voltage across L3.

- 27. Draw a circuit diagram that you would use to find the resistance of a resistor R. Your diagram should include the following:
- A. A battery with its terminals marked clearly
- B. A device connected to measure the current through the resistor
- C. A device connected to measure the potential difference across the resistor
- D. The direction of the conventional current marked on the diagram
- 28. The table below shows two sets of wires of different dimensions. Compare the resistance and the resistivity of the two wires in each set.

	Resistance	Resistivity
$L_2 = \frac{1}{2} L_1 \text{ and } A_2 = A_1$		
9	A A STATE OF THE S	
L <sub>1</sub>	- Panin.	
-		- NI)
$L_2$	/	
$L_2 = L_1 \text{ and } A_2 = 2A_1$	16	
$A_1$ $A_2$		
	Washing - A	
$L_2 = \frac{1}{2}L_1 \text{ and } A_2 = 2A_1$		
A <sub>1</sub>		Park and a second and a second
L <sub>1</sub>		
A <sub>2</sub>	, F)	
$L_2$	34	

29. Describe the energy transformations that occur in each of the following devices.

a. an incandescent lightbulb

b. a clothes dryer

c. a digital clock radio

d. a handheld flashlight

*30. True or false* 

- A. In order for current electricity to flow, electrons need a good conductor to allow them to move.
- B. In a typical household wire, the metal interior (is copper) is a good conductor and the coating (is plastic) is an insulator.
- C. Current is a vector quantity.
- D. The correct equation for calculating current is I = Qxt
- E. Conventional current is the direction in which electrons flow.
- F. The correct units for current are joules per coulomb.

- G. Batteries convert chemical to electrical energy.
- H. Conductors have a high or low resistance.
- I. In terms of electricity, DC stand for direct current.
- J. You can extend battery life by storing batteries at a low temperature.



31. The figure below shows four electrical components.

Which of the circuit symbols represent a switch and a variable resistor?

	Switch	Variable resistor
<u>a</u>	A	D
<b>(b)</b>	В	A
(C)	C	В
<u>@</u>	D	C

A B C D

32.2. A net charge of 5.0 C passes a point on a conductor in 0.050 s. The is the current

(a)  $8.0 \times 10^{-8} A$  (b)  $1.0 \times 10^{-2} A$  (c)  $2.5 \times 10^{-1} A$  (d)  $1.0 \times 10^{2} A$ 

33. A conductor carries a current of 4.0 A. How long will it take 20 C of charge to flow through it? (a) 0.2 s (b) 5.0 s (c) 24 s (d) 80 s

34. A conductor carries a current of 2.0 A. What is the charge flowing through it in 10 s?

(a) 0.2 C (b) 20 C (c) 5.0 C (d) 12 C

35. The figure shown below shows the voltage current graph of a(n) ohmic resistor b lightbulb c semi-conductor super conductor



36. A current of 1.5 A flows through a 4.0  $\Omega$  resistor. What is the voltage across the resistor?

(a) 0.38 V (b) 2.7 V (c) 6.0 V (d) 9.0 V

37. A 75 V battery is connected across a 150  $\Omega$  resistor. What is the current through the resistor?

(a) 0.5 A (b) 2.0 A (c) 75 A (d) 11250 A

38. Which circuit diagram represents the correct way to measure the voltage across a resistor?



39. Which circuit diagram represents the correct way to measure the current in a resistor?



40. What is the effect on the current in a simple circuit if both the voltage and the resistance are reduced by half?

- (a) divided by 2 (b) no change (c) multiplied by 2 (d) multiplied by 4
  41. What is the effect on the current in a simple circuit if the resistance are reduced by half?
- (a) divided by 2 (b) no change (c) multiplied by 2 (d) multiplied by 4

42. In the circuit shown below, a(n) is connected in parallel to the lightbulb to *measure* its . In addition, the arrow represents the direction of the current through the circuit. (a) | ammeter conventional current (b) | ammeter | Potential difference | electronic © | voltmeter | current electronic voltmeter | Potential difference | conventional 12. A voltmeter has a resistance and should be connected in with an electrical component. (a) low parallel b low series (C) high series high parallel 43. A ammeter has a resistance and should be connected in with an electrical component. (a) low parallel (b) low series © high series high parallel 44. In the circuit shown below, a(n) is connected in series to the lightbulb to measure the lightbulb. In addition, the arrow represents the direction of current through the circuit. the (a) ammeter | Current through electronic (b) ammeter Potential difference across electronic © | voltmeter | Current through electronic voltmeter | Potential difference across conventional 45. Which of the following cannot be used to change the electric current in the electric circuit shown in the figure. the Ammeter (b) the switch (c) the battery (d) the potentiometer 46. The diagram below represents an electric circuit consisting of a 12 V battery, a 3.0  $\Omega$ resistor, R1, and a variable resistor, R2. At what value must the variable resistor be set to produce a current of 1.0 A through R1?  $3.0 \Omega$  b  $6.0 \Omega$  c  $9.0 \Omega$  d  $12.0 \Omega$ 47. A heater operates at 120 V with a current of 12 A flowing through it. What is the power of the heater? (a) 0.10 W (b) 10 W (c) 1200 W (d) 1440 W



48. A lamp draws a 2.00 A of current when connected to a 60.0 V battery. What is the power dissipated in the lamp?

- 30.0 W
- (b) 58.0 W (c) 62.0 W (d) 120 W




49. A 1.5 A of current passes through a resistor which dissipates energy at a rate of 45 W. What is the potential difference across the resistor?


- (a)

- 20 V ⓑ 30 V ⓒ 45 V ⓓ 68 V

50. The current in the flashlight shown below is 0.50 A, and the voltage is the sum of the voltages of the individual batteries. What is the power delivered to the bulb of the flashlight?



- 0.11 W \( \bar{\text{b}} \) 1.1 W \( \bar{\text{c}} \) 2.3 W \( \bar{\text{d}} \) 4.5 W
  - 51. The resistance of a cylindrical conductor is 80  $\Omega$ . What is the resistance of the conductor if its length is reduced by half?
- $20 \Omega$  (b)  $40 \Omega$  (c)  $80 \Omega$  (d)  $160 \Omega$ 
  - 52. The diagrams below represent four pieces of copper wire at 20°C. For each piece of wire,  $\ell$  represents a unit of length and A represents a unit of cross-sectional area. Which piece of wire has the greatest (the least) resistance?



53. All of the following wires are made of the same material but have different sizes. Which of the copper wires shown in the figure has lowest resistance.?




54. Two copper wires with the same length and their resistances are RA and RB. Each wire is connected to a battery with voltage V, so that a current I passes across it, as shown in the figure. Which of the following statements is correct?  $R_A$ 

- (a) RA < RB (b) IA>IB
- RA=RB (C) IA=IB
- RA > RB d IA < IB
  - $RA \le RB$ IA < IB

55. In the shown diagram, energy transforms between different forms, which of the following table rows shows the correct forms of energy in 1, 2 and 3?

	1	2	3
(a)	Potential energy	Work done by motor	Electric energy
<b>(b)</b>	Electric energy	Potential energy	Work done by motor
(C)	Electric energy	Work done by motor	Potential energy
<u>d</u>	Electric energy	Electric energy	Work done by motor



56. An air fryer with a power of 1800 W is connected to source producing a potential difference of 230V. What is the current through the fryer?

(a) 7.8 A (b) 2.8 A (c) 0.13 A (d) 4.1 A

57. Depending on the graph, what values of current and voltage at point a?

- (a) (I=2 A, V=8 volt) (b) (I=8 A, V=2 volt)
- © (12.5 A, V=9 volt) @ (1=1.5 A, V=7 volt)

58. Depending on the graph, what is the resistance?


(a)  $2\Omega$  (b)  $4\Omega$  (c)  $8\Omega$  (d)  $1/2\Omega$ 

59. If the ammeter reading shown in 35.60 mA. What is the current in amperes?

- (a)  $3.56 \times 10^{-2} A$  (b)  $3.56 \times 10^{-6} A$
- ©  $3.56 \times 10^{-4} A$  @  $3.56 \times 10^{-3} A$




60. Which one of the following represents the electric current unit?



(a) C/s (b) C.s (c) s/C (d)  $C/s^2$ 

61. In the physics lab, Mr. Abdulrahman Esam, connected an electrical circuit as in figure. Which of the following rows in the table is correct for the symbols shown in the circuit?


	1	2	3
<u>a</u>	Variable Resistor	Ammeter	Battery
<b>(b)</b>	Ammeter	Variable Resistor	Battery
<u>C</u>	Variable Resistor	Battery	Ammeter
<u>(d)</u>	Battery	Ammeter	Variable Resistor



62. Depending on the circuit in which an electric current is flowing.

Which of the following is correct?

	X	Y
<u>a</u>	ammeter	ammeter
<b>(b)</b>	ammeter	voltmeter
(C)	voltmeter	voltmeter
<u>(d)</u>	voltmeter	ammeter



63. Which of the following equations is a correct formula for electric charge q, knowing that I and t represent current and time, respectively?

(a) q=I.t (b) q=I/t (c) q=t/I (d)  $q=I^2.t$ 

64. What is the reading of the ammeter and voltmeter in the near electrical circuit?

	ammeter	voltmeter
(a)	<i>4A</i>	16 volts
<b>(b)</b>	8A	12 volts
(C)	16A	16 volts
<u>(d)</u>	<i>4A</i>	8 volts



65. You have four conducting wires (copper-gold-silver-platinum), equal in length, with the same cross-sectional area, and at the same temperature. Each wire was connected in a closed electric circuit to same protentional difference. The current in each wire is shown in the table. Which of the four wires has the smallest resistance?

	Current intensity	Wire material used
<u>a</u>	0.72 A	Copper
<b>(b)</b>	0.98 A	Silver
<u>C</u>	0.28 A	Platinum
<u>@</u>	0.54 A	Gold



66. When the switch is closed in electric circuit, an electric charge (3 C) flows within (1.5 s) in the ammeter shown in the figure.

What is the potential difference across the battery?

$$R=12^{\circ}\Omega$$

67. In the following table, write the name of the element used to represent the electrical circuit under the symbol that represents it.

<u>_</u>	<b>~</b>	

# USING ELECTRICAL ENERGY 2

Energy that is supplied to a circuit can be transformed in many useful ways. For example, a lamp changes electrical energy into radiant energy. Unfortunately, not all the energy delivered to a lamp ends up in a useful form. Lightbulbs, especially incandescent lightbulbs, become hot.

Some of the electrical energy is transformed into thermal energy

#### Why the appliances heat up when they are turned on?

Current moving through a resistor causes it to heat up because flowing electrons bump into the atoms in the resistor. These collisions increase the atoms' kinetic energy and, thus, the temperature of the resistor. A space heater, a hot plate, and the heating element in a hair dryer all are designed to convert electric energy into thermal energy



Power is equal to current squared times resistance. Power  $P = I^2R$ 

Thus, the power dissipated in a resistor is proportional both to the square of the current passing through it and to the resistance. If you know V and R, but not I, you can substitute I = V/R into P = IV to obtain the following equat on.

Power 
$$P = \frac{V^2}{R}$$

Power is equal to the voltage squared divided by the resistance.

The power is the rate at which energy is converted from one form to another. Energy is changed from electric to thermal energy, and the temperature of the resistor rises.

If power continues to be dissipated at a uniform rate, then after time t, the energy converted to thermal energy will be

#### THERMAL ENERGY

- $\bullet$  Thermal energy is equal to the power dissipated multiplied by the time. E = Pt
- ightharpoonup It is also equal to the current squared multiplied by resistance and time as well as  $E = I^2 R \cdot t$

#### Superconductors A superconductor is a material with zero resistance.

There is no restriction of current in superconductors, so there is no potential difference, V, across them. Because the power that is dissipated in a conductor is given by the product IV, a superconductor can conduct electricity without loss of energy.

#### Transmission of Electric Energy

Electric companies measure energy sales in a unit of a large number of joules called a kilowatt-hour, kWh.

A kilowatt-hour is a unit of energy.

A kilowatt-hour is equal to 1000 watts delivered continuously for 3600 s (1 h),

To convert KWh to joule x 3.6 x10<sup>6</sup>





68. A heater has a resistance of $10.0 \Omega$ . It operates on $120.0 V$ .  a. What is the power of the heater?  b. What thermal energy is supplied by the heater in $10.0 s$ ?
69. A 15- $\Omega$ electric heater operates on a 120-V outlet.
a. What is the current through the heater?
<b>b.</b> How much energy is used by the heater in 30.0 s?
c. How much thermal energy is liberated in this time?
70. A 39- $\Omega$ resistor is connected across a 45-V battery.
a. What is the current in the circuit?
b. How much energy is used by the resistor in 5.0 min?
71. The resistance of an electric stove element at operating temperature is 11 $\Omega$ .
a. If 220 V are applied across it, what is the current through the stove element?
b. How much energy does the element transform to thermal energy in 30.0 s?
of 110 with the energy week the element it analytim to thermat energy in 20.0 s.
(Comment) (C) (200) (Comment)
72. A 120-V water heater takes 2.2 h to heat a given volume of water to a certain temperature.
How long would a 240-V unit operating with the same current take to accomplish the same task
-
A 1しんみ(で) _ `(モラ) 数以(M/2)し(で// 1)
The consumer's electric bill = $E_{Unit(KWh)} \times The$ utility company charges
The consumer selective $\mu$
The consumer's electric bill = $P_{Unit(KW)} \times t_{Unit(h)} \times The$ utility company charges
O(m(n)) $O(m(n))$



73. an electric space heater draws 15.0 A from a 120-V source. It is operated on the average,
for 5.0 h each day.
a. How much power does the heater use?
<b>b.</b> How much energy in kWh does it consume in 30 days?
c. At \$0.12 per kWh, how much does it cost to operate the heater for 30 days?
74. A digital clock has a resistance of 12,000 $\Omega$ and is plugged into a 115-V outlet.
a. How much current does it draw?
<b>b.</b> How much power does it use?
c. If the owner of the clock pays \$0.12 per kWh,
how much does it cost to operate the clock for 30 days?
75. How much energy does a 150 V generator supply in 5.0 s if it delivers a current of 3.0 A?
76. How much energy does a 60 V generator supply in 4.0 s when connected to a 30 $\Omega$ resistor?
77. What is the current allowed in a 5.0-W, 220 $\Omega$ resistor?
78 1110
78. A 110 V electric iron draws 3.0 A of current. How much thermal energy does it output in an hour?

		•••••		• • • • • • • • • • • • • • • • • • • •	•••
80. A 9.0 V battery costs \$3.00 and will deliver 0.0250 A for replaced. Calculate the cost per kWh.	26.0 h	before it m	ust be		
		<i>y</i>			••
81. The diagram below shows a simple circuit containing a L The table shows the resistances of several small electrical de					
liagram represents a hair dryer,					
1. what is the current in the circuit?		DC generator	120 V	\$	Hair dryer مجفف الشعر
3. How much energy does the hair dryer use if it runs for 2.	5 min?	موند بار مستمر	1	, [5]	
				<u> </u>	
					••
82. The figure represents an electrical source (220 V) is connected	l to a h	eater its pov	wer (110	0 W)	
82. The figure represents an electrical source (220 V) is connected 1.    Calculate the <mark>current</mark> .	l to a h	eater its pov	wer (110	0 W)	
1. Calculate the current.	-	Ĭ	wer (110	0 W)	
	-	Ĭ	3	0 W)	
1. Calculate the current.	-	Ĭ	3	0 W)	
1. Calculate the current.	-	Ĭ	3	0 W)	
1. Calculate the current.	-	Ĭ	3	0 W)	
1. Calculate the current. 3. Calculate the thermal energy produced by it Heater in 30 33. The table contains a list for some electrical devices and r	) minut 	es 🛂	.20 V ≸	0 W)	
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 miles. 2. Salculate the thermal energy produced by it Heater in 30 miles. 2. The table contains a list for some electrical devices and rough the phone.	) minut	es 🛂	h. ■	0 W)	  Voltage \
1. Calculate the current. 3. Calculate the thermal energy produced by it Heater in 30 33. The table contains a list for some electrical devices and r	) minut esistar	es 2  ace for each devices electric he phone	h. cal resis	سان کاریا	24
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 miles. 2. Salculate the thermal energy produced by it Heater in 30 miles. 2. The table contains a list for some electrical devices and rough the phone.	esistar	es 2  nce for each devices electric he phone he computer	h.  cal resis 12 45	سان کاریا	24 220
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a second s	esistar	es 2  ace for each devices electric he phone	h. cal resis	سان کاریا	24
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a second s	esistar	es 2  nce for each devices electric he phone he computer	h.  cal resis 12 45	سان کاریا	24 220
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a second s	esistar	es 2  nce for each devices electric he phone he computer	h.  cal resis 12 45	سان کاریا	24 220
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a second s	esistar	es 2  nce for each devices electric he phone he computer	h.  cal resis 12 45	سان کاریا	24 220
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a second s	esistar	es 2  nce for each devices electric he phone he computer	h.  cal resis 12 45	سان کاریا	24 220
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a contains a list for some electrical devices and respectively. 3. The table contains a list for some electrical devices and respectively. 3. Calculate the current through the phone. 3. Calculate the power of the computer. 3. Calculate the electrical for the mixer during half One hore.	esistar	es 2  nce for each devices electric he phone he computer	h.  cal resis 12 45	سان کاریا	24 220
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and 30. 2. The table contains a list for some electrical devices and rule. 2. Calculate the current through the phone. 2. Calculate the power of the computer. 2. Calculate the electrical for the mixer during half One hou are table contains a list for some electrical devices and	esistar	dee for each	h. cal resis 12 45 30	tance Ω	24 220 30
<ol> <li>Calculate the current.</li> <li>Calculate the thermal energy produced by it Heater in 30 and a current through the phone.</li> <li>Calculate the current through the phone.</li> <li>Calculate the power of the computer.</li> <li>Calculate the electrical for the mixer during half One how the computer of the computer.</li> <li>Calculate the electrical for the mixer during half One how the computer of the computer.</li> <li>Calculate the electrical for the mixer during half One how the computer of the computer.</li> </ol>	esistar ur. 1	devices electrical	h.  cal resis 12 45	tance Ω	24 220
<ol> <li>Calculate the current.</li> <li>Calculate the thermal energy produced by it Heater in 30 and a contains a list for some electrical devices and reference in 30.</li> <li>Calculate the current through the phone.</li> <li>Calculate the power of the computer.</li> <li>Calculate the electrical for the mixer during half One how the computer in the electrical for the mixer during half of the how the computer in the computer in the computer in the electrical for the mixer during half of the how the computer in the computer in the electrical devices and contains a list for some electrical devices and values of potential difference and current for each.</li> <li>Calculate the resistance of the lamp.</li> </ol>	esistar	es 2  ace for each devices electriche phone he computer he mixer  es electrical np	h. cal resis 12 45 30 current	tance Ω  potent	24 220 30
<ol> <li>Calculate the current.</li> <li>Calculate the thermal energy produced by it Heater in 30 calculate the thermal energy produced by it Heater in 30 calculate the contains a list for some electrical devices and reference the current through the phone.</li> <li>Calculate the power of the computer calculate the electrical for the mixer during half One how calculate the electrical for the mixer during half One how calculate the electrical devices and values of potential difference and current for each.</li> <li>Calculate the resistance of the lamp.</li> <li>Calculate the power of the TV</li> </ol>	esistar ur. t	es 2  ace for each devices electric he phone he computer he mixer  es electrical mp	h.    cal   resis   12   45   30     current   0.5	tance Ω  potent 12	24 220 30
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and 33. The table contains a list for some electrical devices and response the current through the phone. 2. Calculate the power of the computer contains a list for the mixer during half One how contains the electrical for the mixer during half One how contains a list for some electrical devices and values of potential difference and current for each.  1- Calculate the resistance of the lamp.	esistar  ur. t  device the lan the TV	es 2  ace for each devices electric he phone he computer he mixer  es electrical mp	h.    cal   resis   12   45   30     current   0.5   7.5	tance $\Omega$ potent 12 220	24 220 30
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a contains a list for some electrical devices and respectively. 3. The table contains a list for some electrical devices and respectively. 3. Calculate the power of the computer computer. 3. Calculate the electrical for the mixer during half One how the computer contains a list for some electrical devices and values of potential difference and current for each.  1. Calculate the resistance of the lamp.  2. Calculate the power of the TV	esistar  ur. t  device the lan the TV	es 2  ace for each devices electric he phone he computer he mixer  es electrical mp	h.    cal   resis   12   45   30     current   0.5   7.5	tance $\Omega$ potent 12 220	24 220 30
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a contains a list for some electrical devices and respectively. Calculate the current through the phone. 2. Calculate the power of the computer computer computer computer computer computer computer contains a list for the mixer during half One how always of potential difference and current for each.  1. Calculate the resistance of the lamp. 2. Calculate the power of the TV	esistar  ur. t  device the lan the TV	es 2  ace for each devices electric he phone he computer he mixer  es electrical mp	h.    cal   resis   12   45   30     current   0.5   7.5	tance $\Omega$ potent 12 220	24 220 30
1. Calculate the current. 2. Calculate the thermal energy produced by it Heater in 30 and a contains a list for some electrical devices and respectively. 3. The table contains a list for some electrical devices and respectively. 3. Calculate the power of the computer computer. 3. Calculate the electrical for the mixer during half One how the computer contains a list for some electrical devices and values of potential difference and current for each.  1. Calculate the resistance of the lamp.  2. Calculate the power of the TV	esistar  ur. t  device the lan the TV	es 2  ace for each devices electric he phone he computer he mixer  es electrical mp	h.    cal   resis   12   45   30     current   0.5   7.5	tance $\Omega$ potent 12 220	24 220 30




85. heater has a resistance of 10 $\Omega$ . It operates on 120 V. What is the power of the heater?
(a) 0.83 W (b) 1.2 W (c) 30 W (d) 1440 W
86. A 1.5 A of current passes through a 20 $\Omega$ resistor. What is the power dissipated by the resistor? (a) 8.9 W (b) 13 W (c) 30 W (d) 45 W
87. A 5.00 W resistor is connected to a 10.0 V battery. What is the resistance of the resistor?  (a) $50.0 \Omega$ (b) $2.00 \Omega$ (c) $20.0 \Omega$ (d) $12.0 \Omega$
88. What current passes through a $3.60 \times 10^2$ W resistor if it has a resistance of $10.0 \Omega$ ?  (a) $1.00 A$ (b) $4.00 A$ (c) $6.00 A$ (d) $7.00 A$
89. There is a 5.00 mA current through a circuit with a resistance of 50.0 $\Omega$ . What is the power in the circuit?
(a) $2.50 \times 10^{-3} \ W$ (b) $1.00 \times 10^{-3} \ W$ (c) $1.25 \times 10^{-3} \ W$ (d) $1.00 \times 10^{-2} \ W$
90. A 4.00 $\Omega$ resistor is connected to a 8.00 V battery. What is the power dissipated in the resistor?
(a) 16.0 W (b) 20.0 W (c) 24.0 W (d) 36.0 W
91. A 2.00 A of current passes through a 5.00 $\Omega$ resistor. What is the power dissipated by the resistor?
(a) 5.00 W (b) 10.0 W (c) 15.0 W (d) 20.0 W
92. A 60.0 W lamp draws a current of $3.00 A$ when connected to a battery. What is the potential difference across the lamp?
(a) 15.0 V (b) 20.0 V (c) 25.0 V (d) 30.0 V
93.9A light bulb uses energy at a rate of 24 watts. If the current through the light bulb is 2.00A, what is the resistance of the bulb?
(a) $0.08 \Omega$ (b) $6.0 \Omega$ (c) $12 \Omega$ (d) $48 \Omega$
94. A 5.0 $\Omega$ resistor is connected to a 9.0 V battery. How much energy is transformed in 7.5 min?
(a) 1200 J (b) 1300 J (c) 3000 J (d) 7300 J 95. If a flashlight with a voltage of 4.5 V and a current of 0.50 A is on for 3.0 min,
how much electrical energy is delivered to the bulb? (a) $410 J$ (b) $200 J$ (c) $14 J$ (d) $6.9 J$
<ul> <li>96. There is a current of 2.0 A through a circuit containing a motor with a resistance of 12 Ω. How much energy is transformed if the motor runs for one minute?</li> <li>(a) 48 J (b) 20 J (c) 2900 J (d) 170000 J</li> </ul>
97. How much energy is used by a 30.0 W toaster when it works for 10 minutes?  (a) $3.00 J$ (b) $1.80 \times 10^1 J$ (c) $3.00 \times 10^2 J$ (d) $1.80 \times 10^4 J$
98. How much electrical energy is delivered to a 60.0 W lightbulb if the bulb is left on for 2.5hours?
(a) $2.4 \times 10^{1} W$ (b) $4.2 \times 10^{-2} W$ (c) $1.5 \times 10^{2} W$ (d) $5.4 \times 10^{5} W$




99. How long must a 50.0 W toaster works to consume 150.0 J of energy?

(a) 3.00 s (b) 5.00 s (c) 25.0 s (d) 75.0 s

100. A lamp and an ammeter are connected to a source as shown below. What is the electrical energy used up in the lamp in 3.0 s?





101. Which of the following quantities is measured in the unit kilowatt-hour?

(a) Time (b) Work (c) Energy (d) Power

102. Which of the following correctly represents the equivalent of the unit kWh?


(a) 1 kWh = 3.6 f (b) 1 kWh = 3600 f (c)  $1 \text{ kWh} = 3.6 \times 10^6 \text{ f}$  (d)  $1 \text{ kWh} = 3.6 \times 10^8 \text{ f}$ 

103. Which of the following represents the unit of energy?

(a) Joules (b) Kilowatt-hour (c) watt (d) A and B

104. The graph shows the current as a function of voltage in a resistor. What is the power dissipated in the resistor when the applied voltage is 5 V?





105. An electric water heater consumes 72KJ electrical energy in one minute. How much power does the water heater's



(a) 2400 W (b) 1200 W (c) 72 KW (d) 2160 W

# THE END EINSTIEN ABDULRAHMAM ESAM